

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040199799"	US-PGPUB; USPAT	OR	OFF	2009/05/09 15:58
L2	6978	713/502,500,322.ccls. 714/47.ccls. 702/182.ccls.	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:05
L3	27994	(progressive\$2 gradual \$2) near3 (increas\$4 decreas\$4) near3 (voltage \$1 current\$1 frequenc\$3 clock\$1 level\$1 mode\$1 state\$1)	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:06
L4	2537	L3.clm.	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:06
L5	8663	(maintain\$4 continu\$4 uninterrupt\$4) with ((step \$4 ramp\$4) near2 (up down))	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:06
L6	767	L5.clm.	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:06
L7	655	((maintain\$4 continu\$4 uninterrupt\$4) near3 (process\$4 function\$4)) with ((step\$4 ramp\$4) near2 (up down))	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:06
L8	31	L7.clm.	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:06
L9	9	L4 and L2	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:08
L10	2	L6 and L2	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:08
L11	1	L8 and L2	US-PGPUB; USPAT	OR	OFF	2009/05/09 16:08
S1	22	("5692201" "6016548" "5655127" "6275948" "6065122" "5812860" "6173409" "6182232" "6073244" "5627412" ). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 06:19
S2	73589	perform\$4 near3 data near3 process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:27

S3	118320	(perform\$4 execut\$4 operating) near3 data near3 process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:46
S4	44	(generat\$4 produc\$4 creat\$4) near3 performance adj control adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 09:56
S5	3	S4 with (process\$4 near3 performance near3 level \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:32
S6	3	S3 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:35
S7	1519	713/502,500.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:36
S8	188	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:36
S9	54	performance adj control adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:37
S10	5	S9 with S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:39
S11	691	S3 same ((sav\$4 reduc\$7 decreas\$4) near3 (energy power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:47
S12	22	S11 same timing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:41

S13	160494	(perform\$4 execut\$4 operating) near3 (image data) near3 process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:46
S14	897	S13 same ((sav\$4 reduc\$7 decreas\$4) near3 (energy power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 08:47
S15	4	S7 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 09:22
S16	209	increas\$4 near3 (performance adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 09:22
S17	1	S16 with (energy near3 (conserv\$7 sav\$4 decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 09:34
S18	2	"6823516".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 09:34
S19	12	(generat\$4 produc\$4 creat\$4) near3 (performance adj control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 09:57
S20	4924	control\$4 near3 process\$4 near3 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 10:41
S21	68	S20 same ((reduc\$7 sav\$4 decreas\$4 conserv\$7) near3 (power energy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 10:42
S22	0	S21 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 10:42

S23	10	S20 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 11:43
S24	54	performance adj control adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:45
S25	4	S24 near5 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:16
S26	4	S24 with (performance adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:45
S27	2	"6823516".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:19
S28	906	performance near3 (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:45
S29	60	S28 same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:45
S30	32	S28 near5 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:45
S31	3	S30 with (performance adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:46
S32	15	S28 with (performance adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:46

S33	43	(reuseable re-useable) near3 (hardware software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 08:33
S34	569899	(conserv\$7 sav\$4 consum \$7) near3 (power energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 08:32
S35	0	S33 with S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 08:32
S36	0	S33 same S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 08:32
S37	1533	713/502,500.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 08:33
S38	0	S33 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 08:33
S39	130608	(perform\$4 execut\$4 operating) near3 data near3 process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:29
S40	1666	713/502,500.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:29
S41	208	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:29
S42	55	performance adj control adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:29

S43	5	S42 with S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:29
S44	766	S39 same ((sav\$4 reduc \$7 decreas\$4) near3 (energy power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:29
S45	27	S44 same timing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:29
S46	177471	(perform\$4 execut\$4 operating) near3 (image data) near3 process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S47	1018	S46 same ((sav\$4 reduc \$7 decreas\$4) near3 (energy power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S48	5	S40 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S49	5344	control\$4 near3 process \$4 near3 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S50	11	S49 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S51	45	(reuseable re-useable) near3 (hardware software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S52	963	performance near3 (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30

S53	37	S52 near5 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S54	3	S53 with (performance adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 09:30
S55	2	"6823516".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 06:20
S56	13385	(1st first) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 06:21
S57	13062	(2nd second) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 06:22
S58	7110	S56 with S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 06:22
S59	422	S58 with (data adj process \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 06:22
S60	24	S59 with (switch\$4 chang \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 06:23
S61	14239	(1st first) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:52
S62	13886	(2nd second) adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:52

S63	7609	S61 with S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:52
S64	437	S63 with (data adj process \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:52
S65	28	S64 with (switch\$4 chang \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/21 07:52
S66	12887	((gradual\$4 step\$4) near5 (increas\$4 improv\$4) near5 perform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/19 12:23
S67	224	((multiple plurality) near2 performance near2 (mode state level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/19 12:25
S68	15	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/19 12:26
S69	5163	713/322,300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 14:30
S70	12904	((gradual\$4 step\$4) near5 (increas\$4 improv\$4) near5 perform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 14:31
S71	224	((multiple plurality) near2 performance near2 (mode state level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 14:31
S72	15	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 14:31

S73	6	S69 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 14:31
S74	10364	intermediate adj1 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/17 10:39
S75	3	S74 with (power adj1 controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/17 10:39
S76	8039	intermediate adj1 voltage	US-PGPUB; USPAT	OR	OFF	2008/10/17 10:40
S77	5	S76 with (power adj1 (manager controller))	US-PGPUB; USPAT	OR	OFF	2008/10/17 10:41
S78	8039	intermediate adj1 voltage	US-PGPUB; USPAT	OR	OFF	2008/10/17 12:22
S79	197	S78 with (controller manager)	US-PGPUB; USPAT	OR	OFF	2008/10/17 12:22
S80	16	S79.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 12:23
S81	1874	S78 with signal	US-PGPUB; USPAT	OR	OFF	2008/10/17 12:39
S82	119	S81.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 12:39
S83	539	S81 with (control\$4 manag\$4)	US-PGPUB; USPAT	OR	OFF	2008/10/17 12:39
S84	41	S83.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 12:39
S85	91480	((chang\$4) near3 (mode \$1 state\$1 level\$1)) with signal	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:20
S86	762	S85 with intermediate	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:21
S87	11510	S85 with (transitional intermediate intermediary in-between between)	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:22
S88	530	S87.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:23
S89	74850	((chang\$4) near3 (mode \$1 state\$1 level\$1)) near7 signal	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:23
S90	8446	S89 with (transitional intermediate intermediary in-between between)	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:23

S91	385	S90.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:24
S92	506583	g06f\$ h04f\$	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:24
S93	45	S91 and S92	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:24
S94	634	S89 with (transitional intermediate intermediary)	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:28
S95	33	S94.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 13:28
S96	5119	((chang\$4 switch\$4) near3 ((power performance) near2 (mode\$1 state\$1 level \$1))) near7 signal	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:01
S97	37	S96 with (transitional intermediate intermediary)	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:02
S98	4	S97.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:02
S99	13970	(step\$4 adj1 (up down)) near2 voltage	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:21
S100	14435	((chang\$4 switch\$4) near3 ((power performance operati\$6) near2 (mode\$1 state\$1 level\$1))) near7 signal	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:21
S101	8	S99 with S100	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:22
S102	54	S100 with gradually	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:24
S103	1	S102.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:24
S104	105522	((chang\$4 switch\$4) near3 ((power performance operati\$6) near2 (mode\$1 state\$1 level\$1)))	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:30
S105	9281	S104 with (gradually slowly step\$4)	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:33
S106	191	S105.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:33
S107	6466	S104 near7 (gradually slowly step\$4)	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:33
S108	5483	S104 near5 (gradually slowly step\$4)	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:33
S109	79	S108.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:34

S110	6	S109 and S92	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:34
S111	311	S104 near5 (gradually slowly)	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:38
S112	15	S111.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:38
S113	3732	intermediate near2 (power voltage) near2 (level state mode)	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:44
S114	1594	intermediate adj1 (power voltage) adj1 (level state mode)	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:44
S115	444	S114 with signal	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:45
S116	22	S115.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 14:45
S117	32	S114 with (controller manager)	US-PGPUB; USPAT	OR	OFF	2008/10/17 15:01
S118	0	S117.ab.	US-PGPUB; USPAT	OR	OFF	2008/10/17 15:01
S119	4924	(final destination target desired) near2 (voltage level frequency clock) near3 (reach\$3 attain\$3)	US-PGPUB; USPAT	OR	ON	2008/11/05 13:53
S120	995	(next) near2 (voltage level frequency clock) near3 (reach\$3 attain\$3)	US-PGPUB; USPAT	OR	ON	2008/11/05 13:53
S121	22	S119 same S120	US-PGPUB; USPAT	OR	ON	2008/11/05 13:53
S122	1617	(progressive\$2 gradual \$2) near3 (step ramp) near3 (voltage\$1 current \$1 frequenc\$3 clock\$1 level\$1 mode\$1 state\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 16:51
S123	107	S122.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 16:53
S124	2405599	g06f\$ h04l\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 16:53
S125	7	S123 and S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 16:53

S126	1455	(progressive\$2 gradual \$2) near3 (step ramp) near3 (voltage\$1 current \$1 frequenc\$3 clock\$1 level\$1 mode\$1 state\$1)	US-PGPUB; USPAT	OR	OFF	2008/11/05 16:58
S127	20	S126.ab.	US-PGPUB; USPAT	OR	OFF	2008/11/05 16:58
S128	30671	((step\$4 ramp\$4) adj1 (up down)) near3 (voltage \$1 current\$1 power level \$1 stage\$1 mode\$1 state \$1)	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:21
S129	26655	(progressive\$2 gradual \$2) near3 (increas\$4 decreas\$4) near3 (voltage \$1 current\$1 frequenc\$3 clock\$1 level\$1 mode\$1 state\$1)	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:22
S130	211	S128 same S129	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:22
S131	4	S130.ab.	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:22
S132	1852	S128.ab.	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:24
S133	51	S132 and S124	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:25
S134	754	S129.ab.	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:35
S135	32	S134 and S124	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:35
S136	8267	((maintain\$4 continu\$4 uninterupt\$4) with ((step \$4 ramp\$4) near2 (up down)))	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:47
S137	195	S136.ab.	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:47
S138	624	((maintain\$4 continu\$4 uninterupt\$4) near3 (process\$4 function\$4)) with ((step\$4 ramp\$4) near2 (up down)))	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:48
S139	10	S138.ab.	US-PGPUB; USPAT	OR	OFF	2008/11/05 17:48

5/9/2009 4:08:42 PM

C:\Documents and Settings\mbrown7\My Documents\EAST\Workspaces\10715368.wsp